



BN.BS




BENINCA[®]
TECHNOLOGY TO OPEN



BRACCIO A SCORRERE PER MBE / SLIDING ARM FOR MBE
GLEITENDER ARM FÜR MBE / BRAS COULISSANT POUR MBE
BRAZO A DESLIZAR PARA MBE / RAMIĘ PRZESUWNE DO MBE





A	E	B	α	Tempo apertura Operating time Betätigungszeit Temps manoeuvre Tiempo maniobra Czas posuwu skrzydła (s)	Lunghezza massima anta Door leaf max. width Maximale Flügelänge Longueur maximum porte Longitud máxima hoja Maksymalna długość skrzydła (m)	Peso massimo anta Door leaf max. weight Maximales Flügelgewicht Poids maximum porte Peso máximo hoja Maksymalna masa skrzydła (kg)
0	160	112	90°	8,3	0,8	100
	195	142	100°	8,7	1,2	80
	235	181	110°	10	1,6	60
50	160	162	90°	8	0,8	110
	205	193	100°	8,7	1,2	90
	250	234	110°	9,3	1,6	80
100	160	212	90°	8,3	0,8	130
	210	244	100°	9	1,2	110
					1,6	90
150	160	262	90°	8,5	0,8	150
					1,2	130
					1,6	100

BENINCA[®]

AUTOMATISMI BENINCA SpA - Via Capitello, 45 - 36066 Sandrigo (VI) - Tel. 0444 751030 r.a. - Fax 0444 759728
